Abstract

The goal of the Expansion-Defined Relativity paper has been to establish the foundations of Expansion-Defined Relativity. Because the framework treats time, gravity, and cosmic scale as emergent properties of spatial expansion, it also opens the door to potential new interpretations of longstanding questions. It is several speculative interpretations of this type that are the subject of this appendix.

1 Introduction

Differential expansion can produce apparent acceleration, altered rotation curves, early-time compression, and large-scale structure without invoking new substances or modifying gravity. By grounding cosmic behaviour in the evolution of local time-rates, EDR attempts to provide a more intuitive physical interpretation and proposes a route by which several apparently disconnected effects emerge from the same single physical mechanism.

These ideas are exploratory and require formal modelling. But by anchoring macro- and microscopic anomalies to a single mechanism, EDR provides a coherent architectural blueprint for re-examining the universe. Such future work may explore the following directions.

2 Hypothesised Quantum-Scale Mechanism Underlying EDR

The core principles of EDR do not depend on any specific underlying mechanism. The framework is defined as the coupling of expansion and the time-rate, the suppression of local expansion by mass-energy, and the resulting gradients that reproduce gravitational behaviour. However, it is natural to ask whether these rules arise from a deeper quantum-scale process. The following outlines one possible mechanism. It is a speculative hypothesis, and not required for EDR validity, but it illustrates how wave-mechanical behaviour at the smallest scales might emerge from EDR.

At the quantum scale, a particle has no independent clock - its internal evolution is governed entirely by the local expansion rate. The particle behaves as a continuous wave structure embedded within a locally expanding spatial substrate. As local spatial extent increases through expansion, the particle must continually adjust its internal configuration. This adjustment follows a repeating two-step cycle:

- Micro-stretch (“stick”) - expansion slightly overextends the particle’s wave structure.
- Rapid relaxation (“slip”) - the wave structure reconfigures back to equilibrium once the overstretch becomes unsustainable.

This cycle acts as a microscopic clock, with its frequency set by the local expansion rate. It provides a physical basis for why the local time-rate is driven by the local rate of expansion.

Copyright © 2026 David Suttle. All rights reserved.

A useful analogy is the interaction between a violin bow and a string: the bow's continuous motion drives a repeating stick–slip pattern that sets the string's vibration and harmonics. In EDR, the expansion field plays the role of the bow, and the particle's wave structure plays the role of the string. Just as the slow drawing of a bow across a string stimulates rapid vibrations, harmonics, and sound waves, the EDR stick–slip mechanism drives rapid quantum evolution, motion, and light from even tiny increments of spatial extent.

Crucially, the stick-slip mechanism could also provide the microscopic process through which suppression physically manifests. It does not oppose motion through space; it only resists the generation of new substrate. Uniform motion experiences no friction. Expansion suppression is therefore a local stabilising effect resisting changes in realised spatial extent, not a viscous resistance to velocity.

3 First and Second Laws of Thermodynamics

It is hypothesised that the Laws of Thermodynamics are emergent properties of EDR, in particular:

- The First Law of Thermodynamics (energy cannot be created or destroyed, only transferred or transformed) arises because bound systems settle into equilibrium with local expansion, so their internal energy becomes stable and effectively conserved.
- The Second Law of Thermodynamics (entropy always increases) arises because expansion is monotonic and irreversibly increases accessible space, and any sequence of state changes in such a monotonically expanding environment cannot be undone, which makes entropy growth unavoidable.

4 Symmetries with Standard Model

EDR raises the possibility, albeit highly speculative and needing considerably more rigour, that some features of the Standard Model may emerge from deeper expansion dynamics. If cosmic expansion reflects an active physical process with internal structure, rather than simply a passive background effect, then certain particle properties may reflect stable patterns formed within that structure.

In this picture, inertial mass could arise when a localised quantum state becomes stabilised within the surrounding expansion flow, resisting changes in state because it remains dynamically coupled to the underlying expansion pattern. Other interactions may similarly reflect different stable modes or phase relationships within the same expansion driven process.

Under such a framework, electromagnetic, weak, and strong interactions could represent different manifestations of a common underlying dynamical structure expressed in different ways at different energy scales. The existence of three particle generations likewise may be suggestive of higher-order stability modes or harmonic structures within the same deeper mechanism.

Copyright © 2026 David Suttle. All rights reserved.

Similarly, it's conceivable that quantum entanglement represents the manifestation of phase-locked harmonics established between particles, providing a persistent link that appears as non-local state information until the harmonic structure is disturbed. Within the EDR framework, this frames entanglement not as a violation of locality, but as a signature of a deeper connectivity inherent in the spatial expansion process itself, appearing in quantum interactions as the non-local correlation of state information.

5 Baryon Asymmetry

EDR also raises the possibility that the universe's monotonic expansion may have contributed to the emergence of baryon asymmetry in the early universe. Within quantum field theory, matter and antimatter arise as excitations of underlying quantum fields. If the expansion-driven temporal structure proposed by EDR subtly influences these field dynamics under extreme early-universe conditions, it is possible that tiny symmetry-breaking effects could emerge between matter and antimatter evolution.

In such a scenario, small differences in the stability, decay behaviour, or interaction rates of matter and antimatter states during baryogenesis may accumulate over time as virtual particle pairs continually form and decay within the rapidly evolving early universe, ultimately leaving a residual excess of matter. EDR therefore raises the possibility that cosmological expansion itself may contribute to the conditions required for baryon asymmetry, without necessarily invoking entirely separate symmetry-breaking mechanisms.

6 Summary

None of the ideas discussed in this appendix are required for the core validity of EDR. They are presented only as possible avenues for future exploration arising from the framework's central coupling between expansion and time. Whether any of these speculative extensions prove physically meaningful will depend entirely on future mathematical development and observational consistency.

Copyright Notice

© 2026 David Suttle. All Rights Reserved.

This work is protected internationally under the Berne Convention from the moment of creation. All rights are reserved worldwide. No reproduction, redistribution, modification, adaptation, translation, or creation of derivative works is permitted without the prior written permission of the author.

This conceptual framework is provided solely for reading and personal study. Collaboration enquiries and permission requests are welcome and should be directed to the author.